



Now is the time
to do things a little
differently
Download the new ING Banking app

CHARLEROI AIRPORT

Gateway

Gateway

Full audience International departures
Located throughout the way to passport control
Backlight static sites

LOCATION

CHARLEROI AIRPORT

Area: T1 – International Boarding

Audience: Full audience of international departures

Nb of units: 1 side

BOOKING CONDITIONS

Minimum booking: 1 month

No agency commission applicable


SPECIFICATION

Format: 9 sqm (m²)

Type : Lightbox Back Illuminated

Share Of Time : 100% Exclusive

Language: English recommended



Version 2024.

Local taxes and electricity included.

Any information contained in this document is for informational purposes only and is subject to modification.

Gateway

Data to provide for production by JCDecaux

File characteristics

Adobe PDF is the standard for the exchange of composite digital files.

The creation of Adobe PDF files can easily be done from Adobe Indesign.


- **We only accept Adobe PDF (1.4 to 1.7) files. (1 visual = 1 PDF)**
- The size of the pdf file must be 1/10 of the real format + 10 mm bleed
- The image resolution should be 450 dpi (on 1/10 file size)
- All elements (images and vector) used in the document must be in CMYK (No RGB or spot color)

For more information on how to create a valid Adobe PDF file look to the userguide page "HOW MAKE A GOOD PDF".

Visual dimensions

Visible Area: 450 cm x 180 cm + 10 cm bleed

Area corresponding to the visible part of the layout once installed. All elements out of this area / format are in the bleed part and will not be visible.



Control

Control of the file by our supplier. Corrections if needed with a 2 working days delay.

Production lead-time

10 working days from receipt of files

Delivery

Deliver file with WeTransfer or similar to:
prodairport@jcdecaux.com